IN THE CLAIMS:

This listing of claims will replace all prior versions and listings of claims in the application. Please amend the claims as follows.

1. (Currently Amended) A compound of Formula (I):



(I)

wherein

a and b are equal to 0 and 1; wherein the values of 0 and 1 are a direct bond and -CH_2-, respectively, and wherein the –CH_2- group is optionally substituted 1 to 2 times with a substituent group, wherein said substituent group(s) or the term substituted refers to groups: -alkyl, -aryl, -alkylene-aryl, -arylene-alkyl, -alkylene-arylene-alkyl, -O-alkyl, -O-aryl, or –hydroxyl;

W is –N(R_4)-;

wherein

R_4 is

~~a) hydrogen;~~

b) -alkyl;

c) –L_2-D-G;

~~d) L_2-D-alkyl;~~

~~e) L_2-D-aryl;~~

~~f) L_2-D-heteroaryl;~~

~~g) L_2-D-cycloalkyl;~~

~~h) L_2-D-heterocyclyl;~~

~~i) L_2-D-arylene-alkyl;~~

~~j) L_2-D-alkylene-cycloalkyl;~~

~~k) L_2-D-alkylene-heterocyclyl;~~

~~l) L_2-D-alkylene-aryl;~~

~~m) —L_2-D-alkylene-heteroaryl;~~

~~n) —L_2-D-alkylene-arylene-alkyl;~~

~~o) —L_2-D-alkylene-heteroarylene-alkyl;~~

~~p) —L_2-D-alkyl-G;~~

~~q) —L_2-D-aryl-G;~~

~~r) —L_2-D-heteroaryl-G;~~

~~s) —L_2-D-cycloalkyl-G;~~

~~t) —L_2-D-heterocyclyl-G;~~

~~u) —L_2-D-arylene-alkyl-G;~~

~~v) —L_2-D-alkylene-cycloalkyl-G;~~

~~w) —L_2-D-alkylene-heterocyclyl-G;~~

~~x) —L_2-D-alkylene-aryl-G;~~

~~y) —L_2-D-alkylene-heteroaryl-G;~~

~~z) —L_2-D-alkylene-arylene-alkyl-G; or~~

~~aa) —L_2-D-alkylene-heteroarylene-alkyl-G;~~

wherein

L_2 is ~~a direct bond~~, –alkylene, -alkenylene , or -alkynylene;

D is a direct bond, ~~$-CH_2-$, -O-, $-N(R_5)-$, -C(O)-, $-CON(R_5)-$, $-N(R_6)C(O)-$, $-N(R_6)CON(R_5)-$, $-N(R_5)C(O)O-$, $-OC(O)N(R_5)-$, $-N(R_5)SO_2-$, $-SO_2N(R_5)-$, -C(O)-O-, -O-C(O)-, -S-, -S(O)-, $-S(O_2)-$, or $-N(R_5)SO_2N(R_6)-$, -N=N-, or $-N(R_5)-N(R_6)-$,~~

~~wherein R_5 and R_6 are independently selected from the group consisting of : -hydrogen, -alkyl, -aryl, -arylene-alkyl, -alkylene-aryl, and -alkylene-arylene-alkyl;~~

G is -H, -alkyl ; ~~$-CN$, $-SO_3H$, $-P(O)(OH)_2$, $-P(O)(O\text{-alkyl})(OH)$, $-CO_2H$, $-CO_2$-alkyl, an acid isostere, $-NR_7R_8$;~~



, or



;

~~wherein~~

~~L_{10} is alkyline, cycloalkyline, heteroaryline, aryline, or heterocyclyline;~~

~~L_{12} is –O–, –C(O)-N(R_{40})–, –C(O)-O–, –C(O)–, or –N(R_{40})-CO-N(R_{41})–;~~

~~L_{13} is hydrogen, alkyl, alkenyl, alkynyl, heterocyclyl, heteroaryl, or alkylene-aryl;~~

~~L_{11} is hydrogen, alkyl, alkenyl, alkynyl, -alkylene-aryl, -alkylene-heteroaryl, alkylene-O-alkylene-aryl, -alkylene-S-alkylene-aryl, -alkylene-O-alkyl, -alkylene-S-alkyl, -alkylene-NH_2, -alkylene-OH, -alkylene-SH, -alkylene-C(O)-OR_{42}, -alkylene-C(O)-$NR_{42}R_{43}$, -alkylene-$NR_{42}R_{43}$, -alkylene-N(R_{42})-C(O)-R_{43}, -alkylene-N(R_{42})-S(O_2)-R_{43}, or the side chain of a natural or non–natural amino acid;~~

~~R_{42} and R_{43} are independently selected from the group consisting of hydrogen, aryl, alkyl, and alkylene-aryl;~~

~~wherein~~

~~R_{42} and R_{43} may be taken together to form a ring having the formula –$(CH_2)_q$-Y-$(CH_2)_r$- bonded to the nitrogen atom to which R_{41} and R_{42} are attached, wherein q and r are, independently, 1, 2, 3, or 4; Y is -CH_2-, -C(O)-, -O-, -N(H)-, -S-, -S(O)-, -SO_2-, -CON(H)-, -NHC(O)-, -NHCON(H)-, -$NHSO_2$-, -SO_2N(H)-, -(O)CO-, -$NHSO_2NH$-, -OC(O)-, -N(R_{44})-, -N(C(O)R_{44})-, -N(C(O)NHR_{44})-, -N(SO_2NHR_{44})-, -N(SO_2R_{44})-, or -N(C(O)OR_{44})-; or~~

~~R_{42} and R_{43} may be taken together, with the nitrogen atom to which they are attached, to form a heterocyclyl or heteroaryl ring;~~

~~R_{40}, R_{41}, and R_{44} are independently selected from the group consisting of: hydrogen, aryl, alkyl, or alkylene-aryl;~~

~~and wherein~~

~~R_7 and R_8 are independently selected from the group consisting of hydrogen, -alkyl, -L_3-E-alkyl, -L_3-E-aryl, -C(O)-alkyl, -C(O)-aryl, -SO_2-alkyl, -SO_2-aryl, and~~  ~~;~~

~~wherein~~

~~R_9, R_{10}, and R_{11} are independently selected from the group consisting of : -hydrogen, -alkyl, -aryl, -arylene-alkyl, -alkylene-aryl, and -alkylene-arylene-alkyl;~~

~~L_3 is a direct bond, -alkylene, -alkenylene , or -alkynylene;~~

~~E is a direct bond, -CH_2-, -O-, -N(R_{12})-, -C(O)-, -CON(R_{12})-, -N(R_{12})C(O)-, -N(R_{12})CON(R_{13})-, -N(R_{12})C(O)O-, -OC(O)N(R_{12})-, -N(R_{12})SO_2-, -SO_2N(R_{12})-, -C(O)-O-, -O-C(O)-, -S-, -S(O)-, -S(O_2)-, -N(R_{12})SO_2N(R_{13})-, -N=N-, or -N(R_{12})-N(R_{13})-,~~

~~wherein~~

~~R_{12} and R_{13} are independently selected from the group consisting of : -hydrogen, -alkyl, -aryl, -arylene-alkyl, -alkylene-aryl, and -alkylene-arylene-alkyl;~~

A is hydrogen, -alkyl, -alkenyl, or -alkynyl;

X is

a) -C(O)-;

R_1 is

a) -hydrogen;
b) –fluoro
c) –chloro
d) –bromo
e) –iodo

f) -cyano
g) -alkyl;
h) –aryl;
i) -alkylene-aryl;
j) -heteroaryl;
k) –alkylkene-heteroaryl;
l) –cycloalkyl;
m) –alkylene-cycloalkyl
n) – heterocyclyl; or
o) – alkylene-heterocyclyl;

R_2 is

a) -perfluoroalkyl;
b) -J-R_{14};
c) -alkyl;
d) -aryl;
e) -heteroaryl;
f) -heterocyclyl;
g) -cycloalkyl;
h) –L_4 -aryl;
i) –L_4-arylene-aryl;
j) –L_4-arylene-alkyl;
k) -arylene-alkyl;
l) -arylene-arylene-alkyl;
m) -J-alkyl;
n) -J-aryl;
o) -J-alkylene-aryl;
p) -J-arylene-alkyl;
q) -J-alkylene-arylene-aryl;
r) -J-arylene-arylene-aryl;
s) -J-alkylene-arylene-alkyl;
t) –L_4-J-alkylene-aryl;
u) -arylene-J-alkyl;
v) –L_4-J-aryl;

w) $-L_4$-J-heteroaryl;

x) $-L_4$-J-cycloalkyl;

y) $-L_4$-J-cycloalkylene-alkyl;

z) $-L_4$-J-heterocyclyl;

aa) $-L_4$-J-arylene-alkyl;

bb) $-L_4$-J-alkylene-arylene-alkyl;

cc) $-L_4$-J-alkyl;

dd) $-L_4$-J-R_{14};

ee) $-L_4$-J-alkylene-R_{14};

ff) -J-L_4-R_{14};

gg) -arylene-J-R_{14};

hh) $-L_4$-arylene-J-alkyl;

ii) $-L_4$-alkylene-J-alkyl;

jj) $-L_4$-arylene-J-aryl; or

kk) -hydrogen;

wherein

L_4 is a direct bond, –alkylene, -alkenylene , –alkynylene, heterocyclylene, cycloalkylene, arylene, or heteroarylene;

J is a direct bond, $-CH_2$-, -O-, $-N(R_{15})$-, -C(O)-, $-CON(R_{15})$-, $-N(R_{15})C(O)$-, $-N(R_{15})CON(R_{16})$-, $-N(R_{15})C(O)O$-, $-OC(O)N(R_{15})$-, $-N(R_{15})SO_2$-, $-SO_2N(R_{15})$-, -C(O)-O-, -O-C(O)-, -S-, -S(O)-, $-S(O_2)$-, $-N(R_{15})SO_2N(R_{16})$-, -N=N-, or $-N(R_{15})-N(R_{16})$- ,

wherein

R_{15} and R_{16} are independently selected from the group consisting of :

-hydrogen, -alkyl, -aryl, -arylene-alkyl, -alkylene-aryl, and -alkylene-arylene-alkyl,

R_{14} is: -hydrogen, -alkyl, -aryl, -arylene-alkyl, -alkylene-aryl, -alkylene-arylene-alkyl, or



;

wherein

L_{14} is alkyline, cycloalkyline, heteroaryline, aryline, or heterocyclyline;

L_{16} is -O-, -C(O)-N(R_{45})- , -C(O)-O-, -C(O)-, or –N(R_{45})-CO-N(R_{46})- ;

L_{17} is hydrogen, alkyl, alkenyl, alkynyl, heterocyclyl, heteroaryl, or -alkylene-aryl;

L_{15} is hydrogen, alkyl, alkenyl, alkynyl, -alkylene-aryl, -alkylene -heteroaryl, alkylene-O-alkylene-aryl, -alkylene-S-alkylene-aryl, -alkylene-O-alkyl, -alkylene-S-alkyl, -alkylene-NH_2, -alkylene-OH, -alkylene-SH, -alkylene-C(O)-OR_{47}, -alkylene-C(O)-$NR_{47}R_{48}$, -alkylene-$NR_{47}R_{48}$, -alkylene-N(R_{47})-C(O)-R_{48}, , -alkylene-N(R_{47})-S(O_2)-R_{48} , or the side chain of a natural or non –natural amino acid;

R_{47} and R_{48} are independently selected from the group consisting of hydrogen, aryl, alkyl, and alkylene-aryl;

R_{47} and R_{48} may be taken together, with the nitrogen atom to which they are attached, to form a heterocyclyl or heteroaryl ring,

R_{45} and R_{46} are independently selected from the group consisting of hydrogen, aryl, alkyl, and alkylene-aryl;

R_3 is

a) -hydrogen
b) -alkyl
c) -aryl;
d) -alkylene-cycloalkyl;
e) -arylene-alkyl;
f) -alkylene-aryl; or
g) -alkylene-heteroaryl;

Ar_1 is an aryl or fused cycloalkylaryl group optionally substituted 1 to 7 times and if Ar_1 is phenyl, the phenyl has 1 to 5 substituents, wherein the substituents for Ar_1 are selected from the group consisting of:

a) -fluoro;
b) -chloro;
c) -bromo;
d) -iodo;
e) -cyano;
f) -nitro;
g) -perfluoroalkyl;
h) -alkyl;
i) -aryl;
j) -heteroaryl;
k) -heterocyclyl;
l) -cycloalkyl;
m) - L_5-aryl;
n) - L_5-arylene-aryl;
o) - L_5-arylene-alkyl;
p) -arylene-alkyl;
q) -arylene-arylene-alkyl;
r) -K-alkyl;
s) -K-aryl;
t) -K-alkylene-aryl;
u) -K-arylene-alkyl;
v) -K-alkylene-arylene-aryl;
w) -K-arylene-arylene-aryl;
x) -K-alkylene-arylene-alkyl;
y) - L_5-K-alkylene-aryl;
z) -arylene-K-alkyl;
aa) - L_5-K-aryl;
bb) - L_5-K-heteroaryl;
cc) - L_5-K-cycloalkyl;
dd) - L_5-K-heterocyclyl;

ee) - L_5-K-arylene-alkyl;

ff) - L_5-K-alkylene-arylene-alkyl;

gg) - L_5-K-alkyl; and

hh) -arylene-K-R_{17};

wherein

L_5 is a direct bond, –alkylene, -alkenylene, or –alkynylene;

K is a direct bond, –CH_2-, -N(R_{18})-, -C(O)-, -CON(R_{18})-, -N(R_{18})C(O)-, -N(R_{18})CON(R_{19})-, -N(R_{18})C(O)O-, -OC(O)N(R_{18})-, -N(R_{18})SO_2-, -SO_2N(R_{18})-, -C(O)-O-, -O-C(O)-, -S-, -S(O)-, -S(O_2)-, -N(R_{18})SO_2N(R_{19})-, -N=N-, or -N(R_{18})-N(R_{19})- ,

wherein

R_{17}, R_{18}, and R_{19} are independently selected from the group consisting of: -hydrogen, -alkyl, -aryl, -arylene-alkyl, -alkylene-aryl, and -alkylene-arylene-alkyl;

Ar_2 is an arylene, fused arylcycloalkylene, or fused cycloalkylarylene group optionally substituted 1 to 7 times;

L_1 is -O-, -O-alkylene-, or -alkylene-O-;

wherein

R_{23} and R_{24} are independently selected from the group consisting of: -hydrogen, -alkyl, -aryl, -arylene-alkyl, alkylene-aryl, –alkylene-arylene-alkyl, and a direct bond;

T is hydrogen, alkyl, cycloalkyl, heterocyclyl, aryl, heteroaryl, fused cycloalkylaryl, fused cycloalkylheteroaryl, fused heterocyclylaryl, or fused heterocyclylheteroaryl group optionally substituted 1 to 7 times, wherein the substituents are independently selected from the group consisting of:

a) -fluoro;

b) -chloro;

c) -bromo;

d) -iodo;

e) -cyano;

f) -nitro;

g) -perfluoroalkyl;

h) -U-R_{25};

i) -alkyl;

j) -aryl;

k) -heteroaryl;

l) -heterocyclyl;

m) -cycloalkyl;

n) -L_7 -aryl;

o) -L_7-arylene-aryl;

p) -L_7-arylene-alkyl;

q) -arylene-alkyl;

r) -arylene-arylene-alkyl;

s) -U-alkyl;

t) -U-aryl;

u) -U-alkylene-aryl;

v) -U-arylene-alkyl;

w) -U-alkylene-arylene-aryl;

x) -U-arylene-arylene-aryl;

y) -U-alkylene-arylene-alkyl;

z) -L_7-U-alkylene-aryl;

aa) -arylene-U-alkyl;

bb) -L_7-U-aryl;

cc) -L_7-U-heteroaryl;

dd) -L_7-U-cycloalkyl;

ee) – L_7-U-heterocyclyl;

ff) -L_7-U-arylene-alkyl;

gg) -L_7-U-alkylene-arylene-alkyl;

hh) -L_7-U-alkyl;

ii) -L_7-U-alkylene-aryl-R_{25};

jj) -L_7-U-alkylene-heteroaryl- R_{25};

kk) -arylene-U-alkylene- R_{25};

ll) -heteroarylene-U-alkylene- R_{25};

mm) -L_7-U-aryl- R_{25};

nn) -L_7-U-heteroarylene- R_{25};

oo) -L_7-U-heteroaryl- R_{25};

pp) -L_7-U-cycloalkyl- R_{25};

qq) -L_7-U-heterocyclyl- R_{25};

rr) -L_7-U-arylene-alkyl- R_{25};

ss) -L_7-U-heteroarylene-alkyl- R_{25};

tt) -L_7-U-alkylene-arylene-alkyl- R_{25};

uu) -L_7-U-alkylene-heteroarylene-alkyl- R_{25};

vv) -L_7-U-alkylene-cycloalkylene-alkyl- R_{25};

ww) -L_7-U-alkylene-heterocyclylene-alkyl- R_{25};

xx) -L_7-U-alkyl- R_{25};

yy) -L_7-U- R_{25};

zz) -arylene-U- R_{25};

aaa) -heteroarylene-U- R_{25};

bbb) -heterocyclylene-U- R_{25};

ccc) -U-alkylene- R_{25};

ddd) -U-arylene- R_{25};

eee) -U-heteroarylene- R_{25};

fff) -U-alkylene-arylene- R_{25};

ggg) -U-alkylene-heteroarylene- R_{25};

hhh) -U-heteroarylene-alkylene- R_{25};

iii) -U-arylene-alkylene- R_{25};

jjj) -U-cycloalkylene-alkylene- R_{25};

kkk) -U-heterocyclylene-alkylene- R_{25};

lll) -U-alkylene-arylene-alkyl- R_{25};

mmm) -U-alkylene-heteroarylene-alkyl- R_{25};

nnn) 

;

ooo)  ; and

ppp) –hydrogen;

wherein

L_7 is a direct bond, –alkylene, -alkenylene , or –alkynylene;

U is a direct bond, $-CH_2-$, -O-, $-N(R_{26})-$, $-C(O)-$, $-CON(R_{26})-$, $-N(R_{26})C(O)-$, $-N(R_{26})CON(R_{27})-$, $-N(R_{26})C(O)O-$, $-OC(O)N(R_{26})-$, $-N(R_{26})SO_2-$, $-SO_2N(R_{26})-$, $-C(O)-O-$, $-O-C(O)-$, -S-, $-S(O)-$, $-S(O_2)-$, $-N(R_{26})SO_2N(R_{27})-$, N=N-, or $-N(R_{26})-N(R_{27})-$;

wherein

R_{26} and R_{27} are independently selected from the group consisting of : -hydrogen, -alkyl, -aryl, -arylene-alkyl, -alkylene-aryl, and -alkylene-arylene-alkyl;

X_2 is 

, , or ;

Y_2 is hydrogen, $-CO_2H$, -alkylene-aryl, -alkyl, -aryl, -heteroaryl, -heterocyclyl, -cycloalkyl, -alkylene-heteroaryl, or -alkylene-cycloalkyl;

R_{25} is $-SO_3H$, $-P(O)(OH)_2$, $-P(O)(O\text{-alkyl})(OH)$, $-CO_2H$, $-CO_2$-alkyl, an acid isostere, -hydrogen, -alkyl, -aryl, -arylene-alkyl, -alkylene-aryl, or -alkylene-arylene-alkyl,

or a pharmaceutically acceptable salt or solvate thereof.

2. (Currently Amended) The compound ~~of Formula (I)~~ according to claim 1 or a pharmaceutically acceptable salt or solvate thereof, wherein W is $-N(R_4)-$, wherein R_4 is -alkyl, $-L_2$-D-alkyl, ~~or $-L_2$-D-aryl~~, wherein L_2 is alkylene, and D is a direct bond~~, –C(O)- or –O-~~.

3. (Canceled).

4. (Currently Amended) The compound of Formula (I) according to claim 1 or a pharmaceutically acceptable salt or solvate thereof, wherein W is -N(R_4)-, wherein R_4 is -L_2-D-G, wherein L_2 is ~~alkenyl~~ alkenylene or ~~alkynyl~~, alkynylene , D is a direct bond, and G is hydrogen or alkyl.

5. (Canceled).

6. (Previously Presented) The compound of Formula (I) according to claim 1 or a pharmaceutically acceptable salt or solvate thereof, wherein R_1 is hydrogen or aryl.

7. (Previously Presented) The compound of Formula (I) according to claim 1 or a pharmaceutically acceptable salt or solvate thereof, wherein R_2 is: -alkyl, -aryl, -L_4-J-cycloalkyl, arylene-alkyl, -L_4-arylene-J-alkyl, or -J-alkyl, wherein L_4 is alkylene or alkenylene, and J is a direct bond or –O-.

8. (Previously Presented) The compound of Formula (I) according to claim 1 or a pharmaceutically acceptable salt or solvate thereof, wherein R_3 is -H; X is -C(O)-; R_2 is -L_4-arylene-J-alkyl, -L_4-J-cycloalkylene-alkyl or -L_4-J-alkylene-aryl, wherein L_4 is alkylene, alkenylene, or a direct bond; and J is a direct bond, -O-, or -NH-.

9. (Previously Presented) The compound of Formula (I) according to claim 1 or a pharmaceutically acceptable salt or solvate thereof, wherein R_3 is hydrogen.

10. (Previously Presented) The compound of Formula (I) according to claim 1 or a pharmaceutically acceptable salt or solvate thereof, wherein Ar_1 is a phenyl or naphthyl group having 1 to 5 substituents, wherein the substituents are independently selected from the group consisting of:

a) -fluoro;
b) -chloro;
c) -bromo;
d) -iodo;
e) -cyano;

f) -nitro;

g) -perfluoroalkyl;

h) -alkyl;

i) -aryl;

j) -heteroaryl;

k) -heterocyclyl;

l) -cycloalkyl;

m) - L_5-aryl;

n) - L_5-arylene-aryl;

o) - L_5-arylene-alkyl;

p) -arylene-alkyl;

q) -arylene-arylene-alkyl;

r) -K-alkyl;

s) -K-aryl;

t) -K-alkylene-aryl;

u) -K-arylene-alkyl;

v) -K-alkylene-arylene-aryl;

w) -K-arylene-arylene-aryl;

x) -K-alkylene-arylene-alkyl;

y) - L_5-K-alkylene-aryl;

z) -arylene-K-alkyl;

aa) - L_5-K-aryl;

bb) - L_5-K-heteroaryl;

cc) - L_5-K-cycloalkyl;

dd) - L_5-K-heterocyclyl;

ee) - L_5-K-arylene-alkyl;

ff) - L_5-K-alkylene-arylene-alkyl;

gg) - L_5-K-alkyl;

and

hh) -arylene-K-R_{17};

wherein

L_5 is a direct bond, –alkylene, -alkenylene, or –alkynylene;

K is a direct bond, $-CH_2-$, $-N(R_{18})-$, $-C(O)-$, $-CON(R_{18})-$, $-N(R_{18})C(O)-$, $-N(R_{18})CON(R_{19})-$, $-N(R_{18})C(O)O-$, $-OC(O)N(R_{18})-$, $-N(R_{18})SO_2-$, $-SO_2N(R_{18})-$, $-C(O)-O-$, $-O-C(O)-$, $-S-$, $-S(O)-$, $-S(O_2)-$, $-N(R_{18})SO_2N(R_{19})-$, $-N=N-$, or $-N(R_{18})-N(R_{19})-$,

wherein

R_{17}, R_{18}, and R_{19} are independently selected from the group consisting of: -hydrogen, -alkyl, -aryl, -arylene-alkyl, -alkylene-aryl, and -alkylene-arylene-alkyl.

11. (Previously Presented) The compound of Formula (I) according to claim 1 or a pharmaceutically acceptable salt or solvate thereof, wherein Ar_1 is a phenyl group substituted 1 to 5 times with substituents independently selected from the group consisting of:

a) -fluoro;
b) -chloro;
c) -bromo;
d) -iodo; and
e) -nitro.

12. (Previously Presented) The compound of Formula (I) according to claim 1 or a pharmaceutically acceptable salt or solvate thereof, wherein Ar_2 is a phenylene or naphthylene group optionally having 1 to 5 substituents, wherein the substituents are independently selected from the group consisting of:

a) -fluoro;
b) -chloro;
c) -bromo;
d) -iodo;
e) -cyano;
f) -nitro;
g) -perfluoroalkyl;
h) $-Q-R_{20}$;
i) -alkyl;
j) -aryl;

k) -heteroaryl;

l) -heterocyclyl;

m) -cycloalkyl;

n) -L_6-aryl;

o) -L_6-arylene-aryl;

p) -L_6-arylene-alkyl;

q) -arylene-alkyl;

r) -arylene-arylene-alkyl;

s) -Q-alkyl;

t) -Q-aryl;

u) -Q-alkylene-aryl;

v) -Q-arylene-alkyl;

w) -Q-alkylene-arylene-aryl;

x) -Q-arylene-arylene-aryl;

y) -Q-alkylene-arylene-alkyl;

z) -L_6-Q-alkylene-aryl;

aa) -arylene-Q-alkyl;

bb) -L_6-Q-aryl;

cc) -L_6-Q-heteroaryl;

dd) -L_6-Q-cycloalkyl;

ee) -L_6-Q-heterocyclyl;

ff) -L_6-Q-arylene-alkyl;

gg) -L_6-Q-alkylene-arylene-alkyl;

hh) -L_6-Q-alkyl;

ii) -L_6-Q-alkylene-aryl-R_{20};

jj) -L_6-Q-alkylene-heteroaryl-R_{20};

kk) -arylene-Q-alkylene- R_{20};

ll) -heteroarylene-Q-alkylene- R_{20};

mm) -L_6-Q-aryl- R_{20};

nn) –L_6-Q-heteroarylene- R_{20};

oo) –L_6-Q-heteroaryl- R_{20};

pp) –L_6-Q-cycloalkyl- R_{20};

qq) –L_6-Q-heterocyclyl- R_{20};

rr) $-L_6$-Q-arylene-alkyl- R_{20};

ss) $-L_6$-Q-heteroarylene-alkyl- R_{20};

tt) $-L_6$-Q-alkylene-arylene-alkyl- R_{20};

uu) $-L_6$-Q-alkylene-heteroarylene-alkyl- R_{20};

vv) $-L_6$-Q-alkylene-cycloalkylene-alkyl- R_{20};

ww) $-L_6$-Q-alkylene-heterocyclylene-alkyl- R_{20};

xx) $-L_6$-Q-alkyl- R_{20};

yy) $-L_6$-Q- R_{20};

zz) -arylene-Q- R_{20};

aaa) -heteroarylene-Q- R_{20};

bbb) -heterocyclylene-Q- R_{18};

ccc) -Q-alkylene- R_{20};

ddd) -Q-arylene- R_{20};

eee) -Q-heteroarylene- R_{20};

fff) -Q-alkylene-arylene- R_{20};

ggg) -Q-alkylene-heteroarylene- R_{20};

hhh) -Q-heteroarylene-alkylene- R_{20};

iii) -Q-arylene-alkylene- R_{20};

jjj) -Q-cycloalkylene-alkylene- R_{20};

kkk) -Q-heterocyclylene-alkylene- R_{20};

lll) -Q-alkylene-arylene-alkyl- R_{20}; or

mmm) -Q-alkylene-heteroarylene-alkyl- R_{20};

nnn) 

;

ooo) 

; and

ppp) –hydrogen,

wherein

L_6 is a direct bond, –alkylene, -alkenylene , or –alkynylene;

Q is a direct bond, $-CH_2-$, -O-, $-N(R_{21})-$, -C(O)-, $-CON(R_{21})-$, $-N(R_{21})C(O)-$, $-N(R_{21})CON(R_{22})-$, $-N(R_{21})C(O)O-$, $-OC(O)N(R_{21})-$, $-N(R_{21})SO_2-$, $-SO_2N(R_{21})-$, -C(O)-O-, -O-C(O)-, -S-, -S(O)-, $-S(O_2)-$, $-N(R_{21})SO_2N(R_{22})-$, N=N-, or $-N(R_{21})-N(R_{22})-$;

wherein

R_{21} and R_{22} are independently selected from the group consisting of: -hydrogen, -alkyl, -aryl, -arylene-alkyl, -alkylene-aryl, and -alkylene-arylene-alkyl;

V is 

, , or ;

Z is hydrogen, $-CO_2H$, -alkylene-aryl, -alkyl, -aryl, -heteroaryl, -heterocyclyl, -cycloalkyl, -alkylene-heteroaryl, or -alkylene-cycloalkyl;

R_{20} is $-SO_3H$, $-P(O)(OH)_2$, -P(O)(O-alkyl)(OH), $-CO_2H$, $-CO_2$-alkyl, an acid isostere, hydrogen, -alkyl, -aryl, -arylene-alkyl, -alkylene-aryl, or -alkylene-arylene-alkyl.

13. (Previously Presented) The compound of Formula (I) according to claim 1 or a pharmaceutically acceptable salt or solvate thereof, wherein Ar_2 is a phenylene or naphthylene group optionally substituted 1 to 5 times, wherein the substituents are independently selected from the group consisting of:

a) -fluoro;
b) -chloro;
c) -bromo;
d) -iodo;
e) $-Q-R_{20}$;
f) -alkyl;
g) -aryl;
h) -arylene-alkyl;
i) -Q-alkyl; and
j) -arylene-Q-alkyl;

wherein

Q is: $-CH_2-$, -O-, -C(O)-, or -C(O)-O-; and

R_{20} is: -hydrogen, -alkyl, -aryl, cycloalkyl, -alkenyl, $-CO_2H$, or an acid isostere.

14. (Previously Presented) The compound of Formula (I) according to claim 1 or a pharmaceutically acceptable salt or solvate thereof, wherein Ar_2 is a phenylene group substituted 1 to 5 times, wherein the substituents are independently selected from the group consisting of

a) -fluoro;
b) -chloro;
c) -bromo;
d) -iodo;
e) $-Q-R_{20}$;
f) -alkyl;
g) -phenyl;
h) -phenylene-alkyl;
i) -Q-alkyl; and
j) -phenylene-Q-alkyl;

wherein

Q is: $-CH_2-$, -O-, -C(O)-, or -C(O)-O-; and

R_{20} is: -hydrogen, -alkyl, –phenyl, -cycloalkyl, alkenyl, or $-CO_2H$.

15. (Previously Presented) The compound of Formula (I) according to claim 1 or a pharmaceutically acceptable salt or solvate thereof, wherein Ar_2 is a phenylene group substituted 1 to 5 times, wherein the substituents are independently selected from the group consisting of :

a) -Q-alkyl;
b) $-Q-arylene-R_{20}$;
c) $-Q-alkylene-arylene-R_{20}$; and
d) -Q-  ;

wherein

Q is: $-CH_2-$, -O-, -C(O)-, or -C(O)-O-;

Z is $-CO_2H$ or an acid isostere;

V is  ; and

R_{20} is: $-CO_2H$ or an acid isostere.

16. (Previously Presented) The compound of Formula (I) according to claim 1 or a pharmaceutically acceptable salt or solvate thereof, wherein L_1 is -O-alkylene-.

17. (Previously Presented) The compound of Formula (I) according to claim 1 or a pharmaceutically acceptable salt or solvate thereof, wherein T is an aryl group substituted by -U-alkylene-R_{25}, wherein U is -O- or a direct bond and R_{25} is $-CO_2H$ or an acid isostere.

18. (Previously Presented) The compound of Formula (I) according to claim 1 or a pharmaceutically acceptable salt or solvate thereof, wherein X and R_2 together form a group selected from the group consisting of:

tert-butoxycarbonyl, tert-butyl-methyl-carbonyl, 4-cyclohexyl-butyryl, 3-cyclohexyl-propionyl, 2-cyclohexyl-acetyl, 4-tert-butyl-phenyl)-carbonyl, 4-(4'-methoxyphenyl)-butyryl, 4-(4'-methoxyphenyl)-butyryl, 3-(4'-methoxyphenyl)-propionyl, 3-(3'-methoxyphenyl)-propionyl, 3-(4'-methoxy-phenyl)-acryl, 3-(4'-chloro-phenyl)-acryl, 2-(4'-methoxy-phenyl)-acetyl, 2-(4'-chloro-phenyl)-acetyl, 2-(4'-methylsulfonyl-phenyl)-acetyl, 2-(4'-methylsulfonyl-phenyl)-acetyl, 4-(4'-chloro-2'-methyl-phenoxy)-butyryl, 4-(4'-methoxyphenyl)-butyryl, and 4-(4'-cyclohexyl)-propyl.

19. (Previously Presented) The compound of Formula (I) according to claim 1 or a pharmaceutically acceptable salt or solvate thereof, wherein a equals 0, and the groups T, L_1, and Ar_2 together form a group selected from the group consisting of: 4'-n-butoxy-3'-n-butoxy carbonyl phenyl, and 4'-n-butoxy-3'-carboxyl phenyl.

20. (Previously Presented) The compound of Formula (I) according to claim 1 or a pharmaceutically acceptable salt or solvate thereof, wherein Ar_1 is selected from the group consisting of naphthyl, 4-nitrophenyl, 4-chlorophenyl, 3-chlorophenyl, 3, 4-dichlorophenyl, 2, 4-dichlorophenyl, 2,5-dichlorophenyl, 2,6-dichlorophenyl, 4-cyanophenyl, 4-bromophenyl, and pentafluorophenyl.

21. (Currently Amended) The compound of Formula (I) according to claim 1, where the compound of Formula (I) is selected from the group consisting of:

~~2-[3-(4'-Methoxyphenyl)-propionylamino]-2-(4'-n-butoxy-3'-carboxyphenyl)-2-ethyl[4-(4'-nitrophenyl)]imidazole;~~

~~2-[3-(4'-Methoxy-phenyl)-acrylamino]-2-(4'-n-butoxy-3'-carboxyphenyl)-2-ethyl[4-(4'-nitrophenyl)]imidazole;~~

~~2-[4-(4'-Methoxyphenyl)-butyryl amino]-2-(4'-n-butoxy-3'-carboxy phenyl)-2-ethyl [4-(2', 4'-dichlorophenyl)] imidazole;~~

~~2-[4-(4'-Cyclohexyl)-propanoylamino]-2-(4'-n-butoxy-3'-carboxyphenyl)-2-ethyl[4-(2',4'-dichlorophenyl)] imidazole;~~

N-{(1*S*)-2-(4-(1,1-Dicarboxymethoxy)phenyl)-1-[4-(2,4-dichlorophenyl)-1H-1-(1-butyl)imidazol-2-yl]ethyl}-4-tert-butylcyclohexanecarboxamide;

4-(4-{(2S)-2-[(4-tert-Butyl-cyclohexanecarbonyl)-amino]-2-[1-butyl-4-(2,4-dichloro-phenyl)-1H-imidazol-2-yl]-ethyl}-phenoxymethyl)-benzoic acid;

4-(4-{2-[1-Butyl-4-(2,4-dichloro-phenyl)-1H-imidazol-2-yl]- (2*S*)-2-[2-(4-methoxy-phenyl)-acetylamino]-ethyl}-phenoxymethyl)-benzoic acid;

4-{4-[2-[1-Butyl-4-(2,4-dichloro-phenyl)-1H-imidazol-2-yl]- (2*S*)-2-(2-cyclopentyl-acetylamino)-ethyl]-phenoxymethyl}-benzoic acid;

4-(4-{2-[1-Butyl-4-(2,4-dichloro-phenyl)-1H-imidazol-2-yl]- (2*S*)-2-[(*trans*-4-methyl-cyclohexanecarbonyl)-amino]-ethyl}-phenoxymethyl)-benzoic acid;

4-(4-{2-[1-Butyl-4-(2,4-dichloro-phenyl)-1H-imidazol-2-yl]- (2*S*)-2-[(*trans*-4-ethyl-cyclohexanecarbonyl)-amino]-ethyl}-phenoxymethyl)-benzoic acid;

4-(4-{(2*S*)-2-[(4-tert-Butyl-cyclohexanecarbonyl)-amino]-2-[4-(2,4-dichloro-phenyl)-(*E*)-1-pent-2-enyl-1H-imidazol-2-yl]-ethyl}-phenoxymethyl)-benzoic acid;

4-(4-{2-[4-(2,4-Dichloro-phenyl)-(*E*)-1-pent-2-enyl-1H-imidazol-2-yl]- (2*S*)-2-[(trans-4-ethyl-cyclohexanecarbonyl)-amino]-ethyl}-phenoxymethyl)-benzoic acid;

4-(4-{2-[1-But-2-ynyl-4-(2,4-dichloro-phenyl)-1H-imidazol-2-yl]- (2S)-2-[(trans-4-ethyl-cyclohexanecarbonyl)-amino]-ethyl}-phenoxymethyl)-benzoic acid;

4-(4-{(2S)-2-[(4-tert-Butyl-cyclohexanecarbonyl)-amino]-2-[1-butyl-4-(2,4-dichloro-phenyl)-1H-imidazol-2-yl]-ethyl}-phenoxy)-benzoic acid;

4-(4-{2-[1-Butyl-4-(2,4-dichloro-phenyl)-1H-imidazol-2-yl]- (2S)-2-[(trans-4-ethyl-cyclohexane-carbonyl)-amino]-ethyl}-phenoxy)-benzoic acid;

4-(4-{2-[4-(2,4-Dichloro-phenyl)-1-pent-2-enyl-1H-imidazol-2-yl]- (2S)-2-[(trans-4-ethyl-cyclohexane-carbonyl)-amino]-ethyl}-phenoxy)-benzoic acid;

4-(4-{2-[1-But-2-ynyl-4-(2,4-dichloro-phenyl)-1H-imidazol-2-yl]- (2S)-2-[(trans-4-ethyl-cyclohexanecarbonyl)-amino]-ethyl}-phenoxy)-benzoic acid;

4-(4-{2-[1-Butyl-4-(2,4-dichloro-phenyl)-1H-imidazol-2-yl]- (2S)-2-[4-(3-fluorobenzylcarbamoyl)-butyrylamino]-ethyl}-phenoxy)-benzoic acid;

4-(4-{2-[1-Butyl-4-(2,4-dichloro-phenyl)-1H-imidazol-2-yl]- (2S)-2-[2-(4-methoxy-phenyl)-acetylamino]-ethyl}-phenoxy)-benzoic acid;

4-(4-{2-[1-Butyl-4-(2,4-dichloro-phenyl)-1H-imidazol-2-yl]- (2S)-2-[2-(2,4-difluorophenyl)-acetylamino]-ethyl}-phenoxy)-benzoic acid;

4-{4-[2-[1-Butyl-4-(2,4-dichloro-phenyl)-1H-imidazol-2-yl]- (2S)-2-(4-methoxy-benzoylamino)-ethyl]-phenoxy}-benzoic acid;

4-{4-[2-[1-Butyl-4-(2,4-dichloro-phenyl)-1H-imidazol-2-yl]- (2S)-2-(3,5-difluoro-benzoylamino)-ethyl]-phenoxy}-benzoic acid;

4-(4-{2-[1-Butyl-4-(2,4-dichloro-phenyl)-1H-imidazol-2-yl]- (2S)-2-[3-(2,4-difluoro-phenyl)-ureido]-ethyl}-phenoxy)-benzoic acid;

4-(4-{2-[1-Butyl-4-(2,4-dichloro-phenyl)-1H-imidazol-2-yl]- (2S)-2-[3-(4-methoxy-phenyl)-ureido]-ethyl}-phenoxy)-benzoic acid;

4-(4-{2-[1-Butyl-4-(2,4-dichloro-phenyl)-1H-imidazol-2-yl]- (2S)-2-[3-(3-methoxy-phenyl)-ureido]-ethyl}-phenoxy)-benzoic acid;

4-(4-{2-[1-Butyl-4-(2,4-dichloro-phenyl)-1H-imidazol-2-yl]- (2S)-2-[3-(4-trifluoromethyl-phenyl)-2-(2S)-isobutyrylamino-propionylamino]-ethyl}-phenoxy)-benzoic acid;

4-(4-{2-[1-Butyl-4-(2,4-dichloro-phenyl)-1H-imidazol-2-yl]- (2S)-2-[3-(4-tert-butyl-phenyl)-(2S)-2-isobutyrylamino-propionylamino]-ethyl}-phenoxy)-benzoic acid; and

4-(4-{2-[1-Butyl-4-(2,4-dichloro-phenyl)-1H-imidazol-2-yl]- (2S)-2-[4-(4-chloro-phenyl)-(3S)-3-isobutyrylamino-butyrylamino]-ethyl}-phenoxy)-benzoic acid;

or pharmaceutically acceptable salts or solvates thereof.

22. (Previously Presented) A pharmaceutically composition comprising a compound as claimed in claim 1.

23. (Previously Presented) The pharmaceutical composition of claim 22, wherein said compound is a topical formulation.

24. (Previously Presented) The pharmaceutical composition of claim 23, wherein the pharmaceutical composition is suitable for administration of said compound in a formulation ratio of 0.1% to 99% of compound to topical excipient.

25. (Original) A pharmaceutical composition comprising a pharmaceutically acceptable carrier and a pharmacologically effective amount of the compound as claimed in claim 1 sufficient to inhibit protein tyrosine phosphatase.

26. (Original) The pharmaceutical composition of claim 25, in the form of an oral dosage or parenteral dosage unit.

27. (Previously Presented) The pharmaceutical composition of claim 25, wherein the pharmaceutical composition is suitable for administration of said compound as a dose in a range from about 0.003 to 500 mg/kg of body weight per day.

28. (Previously Presented) The pharmaceutical composition of claim 25, wherein the pharmaceutical composition is suitable for administration of said compound as a dose in a range from about 0.1 to 200 mg/kg of body weight per day.

29. (Previously Presented) The pharmaceutical composition of claim 25, wherein the pharmaceutical composition is suitable for administration of said compound as a dose in a range from about 0.1 to 100 mg/kg of body weight per day.

30. (Original) The pharmaceutical composition of claim 25, further comprising one or more therapeutic agents selected from the group consisting of alkylating agents, antimetabolites, plant alkaloids, antibiotics, hormones, biologic response modifiers, analgesics, NSAIDs, DMARDs, glucocorticoids, sulfonylureas, biguanides, acarbose, PPAR agonists, DPP-IV inhibitors, GK activators, insulin, insulin mimetics, insulin secretagogues, insulin sensitizers, GLP-1, GLP-1 mimetics, cholinesterase inhibitors, antipsychotics, antidepressants, anticonvulsants, HMG CoA reductase inhibitors, cholestyramine, and fibrates.

31. (Original) A pharmaceutical composition comprising a pharmaceutically acceptable carrier and a pharmacologically effective amount of the compound as claimed in claim 1, sufficient to treat type I diabetes.

32. (Original) A pharmaceutical composition comprising a pharmaceutically acceptable carrier and a pharmacologically effective amount of the compound as claimed in claim 1, sufficient to treat type II diabetes.

33-35. (Canceled).

36. (Original) A pharmaceutical composition comprising a pharmaceutically acceptable carrier and a pharmacologically effective amount of the compound as claimed in claim 1, sufficient to treat glucose intolerance.

37. (Original) A pharmaceutical composition comprising a pharmaceutically acceptable carrier and a pharmacologically effective amount of the compound as claimed in claim 1, sufficient to treat obesity.

38. (Canceled).

39. (Original) A pharmaceutical composition comprising a pharmaceutically acceptable carrier and a pharmacologically effective amount of the compound as claimed in claim 1, sufficient to treat psoriasis.

40-62. (Canceled).

63. (Previously Presented) A pharmaceutical composition comprising a compound as claimed in claim 2.

64. (Canceled).

65. (Previously Presented) A pharmaceutical composition comprising a compound as claimed in claim 4.

66. (Previously Presented) A pharmaceutical composition comprising a compound as claimed in claim 6.

67. (Previously Presented) A pharmaceutical composition comprising a compound as claimed in claim 7.

68. (Previously Presented) A pharmaceutical composition comprising a compound as claimed in claim 8.

69. (Previously Presented) A pharmaceutical composition comprising a compound as claimed in claim 9.

70. (Previously Presented) A pharmaceutical composition comprising a compound as claimed in claim 10.

71. (Previously Presented) A pharmaceutical composition comprising a compound as claimed in claim 11.

72. (Previously Presented) A pharmaceutical composition comprising a compound as claimed in claim 12.

73. (Previously Presented) A pharmaceutical composition comprising a compound as claimed in claim 13.

74. (Previously Presented) A pharmaceutical composition comprising a compound as claimed in claim 14.

75. (Previously Presented) A pharmaceutical composition comprising a compound as claimed in claim 15.

76. (Previously Presented) A pharmaceutical composition comprising a compound as claimed in claim 16.

77. (Previously Presented) A pharmaceutical composition comprising a compound as claimed in claim 17.

78. (Previously Presented) A pharmaceutical composition comprising a compound as claimed in claim 18.

79. (Previously Presented) A pharmaceutical composition comprising a compound as claimed in claim 19.

80. (Previously Presented) A pharmaceutical composition comprising a compound as claimed in claim 20.

81. (Previously Presented) A pharmaceutical composition comprising a compound as claimed in claim 21.